

INTER-AMERICAN TROPICAL TUNA COMMISSION

SCIENTIFIC ADVISORY COMMITTEE

17TH MEETING

La Jolla, California (EE. UU.)

08-12 June 2026

DOCUMENT SAC-17 INF-A(g)

**2025 ANNUAL SCIENTIFIC OBSERVER REPORT FOR CHINESE TAIPEI
LONGLINE FISHERY IN THE ANTIGUA CONVENTION AREA**

| FLEET INFORMATION (vessels >20m LOA) | | | | | | | | | | | | | | | | | | | |
|---|------------|-------------------------|----------|----------|------------|-------|-------------|--|-------|------------|------|-------------|----------|--|------------|----------|------|-------|------|
| | | Both set types combined | | | | | | Shallow sets (<15 HPB/HBF ¹ or <100m max hook depth) | | | | | | Deep sets (≥15 HPB/HBF or ≥100m max hook depth) | | | | | |
| Period covered | Date range | From | | | To | | | From | | | To | | | From | | | To | | |
| | | Day | Month | Year | Day | Month | Year | Day | Month | Year | Day | Month | Year | Day | Month | Year | Day | Month | Year |
| | | 1 | JAN | 2025 | 11 | DEC | 2025 | 1 | JAN | 2025 | 6 | DEC | 2025 | 1 | JAN | 2025 | 11 | DEC | 2025 |
| Area fished | Longitude | Deg. | Min. | Hem. | Deg. | Min. | Hem. | Deg. | Min. | Hem. | Deg. | Min. | Hem. | Deg. | Min. | Hem. | Deg. | Min. | Hem. |
| | | 149 | 58 | W | 123 | 41 | W | 149 | 58 | W | 123 | 41 | W | 149 | 48 | W | 130 | 6 | W |
| Area fished | Latitude | Deg. | Min. | Hem. | Deg. | Min. | Hem. | Deg. | Min. | Hem. | Deg. | Min. | Hem. | Deg. | Min. | Hem. | Deg. | Min. | Hem. |
| | | 17 | 27 | S | 33 | 38 | N | 17 | 27 | S | 5 | 7 | N | 13 | 2 | S | 33 | 38 | N |
| | | Total Fleet | Observed | | % observed | | Total Fleet | Observed | | % observed | | Total Fleet | Observed | | % observed | | | | |
| No. of vessels that fished | | 74 | 17 | | 23 | | 9 | 3 | | 30 | | 65 | 16 | | 25 | | | | |
| No. of trips | | 192 | 17 | | 9 | | 18 | 3 | | 17 | | 174 | 16 | | 9 | | | | |
| No. of effective days fishing | | 7507 | 1011 | | 13 | | 249 | 98 | | 39 | | 7258 | 913 | | 13 | | | | |
| No. of sets | | 7507 | 1011 | | 13 | | 249 | 98 | | 39 | | 7258 | 913 | | 13 | | | | |
| No. of hooks (in thousands) <i>(If unknown, approx. no. of hooks/set, using a *)</i> | | 20686 | 1567 | | 8 | | 867 | 121 | | 14 | | 19819 | 1447 | | 7 | | | | |
| Predominant ² hook type/size (IATTC IATTC code) | | TUNA/5.3 | | TUNA/5.3 | | | | TUNA/4.7 | | TUNA/4.7 | | | | TUNA/5.3 | | TUNA/5.3 | | | |
| Predominant bait type ³ | | F | | F | | | | F | | F | | | | F | | F | | | |

¹ Hooks per basket / Hooks between floats

² "Predominant" means most common, i.e., >50%. [Click here for IATTC hook codes.](#)

³ Bait code: SQ – squid; F – fishes (e.g. Scomber spp.); A – artificial lure (e.g. plastic jig)

Add additional comments below

1. After all observer trips data retrieved completely, the observer coverage rate in 2025 is estimated to reach 20.41% of effective days fishing.
2. Please be noted that the information contained is still preliminary.

