

International Workshop on Mitigating Environmental Impacts of Tropical Tuna Purse Seine Fisheries



12-13 March, 2019 | FAO HQ, Rome, Italy









Key Shark Species Caught by Purse Seiners



Over 90% of shark bycatch by purse seiners is composed of Silky Sharks (mostly small individuals)






Key Shark Species Caught by Purse Seiners




- Second main shark species caught at FADs is Oceanic White Tip Sharks
- Commonly perceived as rare
- There is a wide consensus that populations are decreasing






Most Floating Objects Have Sharks







Source: French Observers Data IRD MARBEC Ob7 2013-2017

100%

Mitigation



Not a single easy method to solve the issue BUT

4 successful methods to reduce impacts of FADs and FAD fishing on sharks






Entanglement Issues



Scientists, managers, fishers:

Problem of entanglement of sharks in nets of FADs was evidenced and quantified in the Indian Ocean



Ban the use of netting to build FADs (See ISSF guide for Non Entangling FADs)




Target Large Schools



Avoiding sets on schools of tuna less than 10 tons would reduce the amount of bycatch of silky sharks by **21-41%** depending on the ocean.

Dagorn et al. 2012



Fish-and-Release Success



15–35% of sharks present in the net can be caught and released (depending on shark fishing experience) with 97% survival rate






Post-Release Survival of Silky Sharks released from the deck





Studies in three oceans, onboard different purse seiners, have shown that about 50% of sharks released can survive



Poisson et al. 2014 ISSF, EU MADE, Orthongel CAT Requins Pacific Ocean

Pacific Ocean

Eddy et al. 2015, ISSF


Protecting Sharks



4. Release from deck after incidental catch

Implement best practices to maximize shark survival after release





Improvements Achieved So Far






Improving Silky Shark Survival

Used in combination,

Four actions can increase silky shark

survival in purse seine fisheries by 62%.



Use of non-entangling FADs will also increase survival related to unobserved (ghost) mortality.

Future research



- Electronic buoy counting sharks
- Attract sharks away from FADs
- Separate sharks from tuna in the net
- Avoid hotspots (exceptional sets with lots of sharks)

