

COMISIÓN INTERAMERICANA DEL ATÚN TROPICAL

COMITÉ CIENTÍFICO ASESOR

17ª REUNIÓN

La Jolla, California (EE. UU.)

08-12 de junio de 2026

DOCUMENTO SAC-17 INF-A(g)

**INFORME ANUAL DE LOS OBSERVADORES CIENTÍFICOS EN LA PESCA CON
PALANGRE DE TAIPEI CHINO EN EL ÁREA DE LA CONVENCIÓN DE ANTIGUA
(2025)**

CPC Chinese Taipei (TWN)

FLEET INFORMATION (vessels >20m LOA)																			
		Both set types combined						Shallow sets (<15 HPB/HBF ¹ or <100m max hook depth)						Deep sets (≥15 HPB/HBF or ≥100m max hook depth)					
Period covered	Date range	From			To			From			To			From			To		
		Day	Month	Year	Day	Month	Year	Day	Month	Year	Day	Month	Year	Day	Month	Year	Day	Month	Year
		1	JAN	2025	11	DEC	2025	1	JAN	2025	6	DEC	2025	1	JAN	2025	11	DEC	2025
Area fished	Longitude	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.
		149	58	W	123	41	W	149	58	W	123	41	W	149	48	W	130	6	W
Area fished	Latitude	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.	Deg.	Min.	Hem.
		17	27	S	33	38	N	17	27	S	5	7	N	13	2	S	33	38	N
		Total Fleet	Observed		% observed		Total Fleet	Observed		% observed		Total Fleet	Observed		% observed				
No. of vessels that fished		74	17		23		9	3		30		65	16		25				
No. of trips		192	17		9		18	3		17		174	16		9				
No. of effective days fishing		7507	1011		13		249	98		39		7258	913		13				
No. of sets		7507	1011		13		249	98		39		7258	913		13				
No. of hooks (in thousands) <i>(If unknown, approx. no. of hooks/set, using a *)</i>		20686	1567		8		867	121		14		19819	1447		7				
Predominant ² hook type/size (IATTC (IATTC code))		TUNA/5.3		TUNA/5.3				TUNA/4.7		TUNA/4.7				TUNA/5.3		TUNA/5.3			
Predominant bait type ³		F		F				F		F				F		F			

¹ Hooks per basket / Hooks between floats

² "Predominant" means most common, i.e., >50%. [Click here for IATTC hook codes.](#)

³ Bait code: SQ – squid; F – fishes (e.g. Scomber spp.); A – artificial lure (e.g. plastic jig)

Add additional comments below

1. After all observer trips data retrieved completely, the observer coverage rate in 2025 is estimated to reach 20.41% of effective days fishing.
2. Please be noted that the information contained is still preliminary.

