



Proposed Coastal Closure

Closure is all 5 degree strata that intersect (or nearly intersect) coastline, as shown next.



Average Catch (mt) Change with Coastal Proposed Closure



Purse seine catches due to coastal closure in mt (including discards, all set types) on average 1994-2006 stratified by size group.

Species	Size	Inside	Outside	% inside
Bigeye	<2.5 kg	105	4,375	2%
	2.5-12.5 kg	305	23,782	1%
	>12.5 kg	537	23,046	2%
	Total	946	51,203	2%
Yellowfin	<2.5 kg	1,354	5,158	21%
	2.5-12.5 kg	32,795	39,947	45%
	>12.5 kg	24,896	80,515	24%
	Total	59,045	125,620	32%
Skipjack	<2.5 kg	6,300	41,088	13%
	2.5-12.5 kg	15,371	93,777	14%
	>12.5 kg	68	1,209	5%
	Total	21,739	136,075	14%
Grand total		81,730	312,897	21%

Purse seine catches due to coastal closure in mt (including discards, all set types)
on average 1994-2006 stratified by quarter of year.

Species	Quarter	Inside	Outside	% inside
Bigeye	Q1	189	10,622	2%
	Q2	384	12,846	3%
	Q3	250	13,114	2%
	Q4	124	14,620	1%
	Total	946	51,203	2%
Yellowfin	Q1	19,048	37,327	34%
	Q2	17,863	32,705	35%
	Q3	12,539	30,161	29%
	Q4	9,595	25,426	27%
	Total	59,045	125,620	32%
Skipjack	Q1	8,071	35,830	18%
	Q2	7,088	31,711	18%
	Q3	4,018	32,562	11%
	Q4	2,562	35,973	7%
	Total	21,739	136,075	14%
Grand total		81,730	312,897	21%